JYNNEOS - Mpox (Monkeypox) Vaccine



People who are at high-risk for mpox infection:

Persons who request vaccination should receive it without having to attest to specific risk factors

- Individuals of any sexual orientation or gender identity who engage in high-risk sexual activities.
 This may include any of the following, but not limited to:
 - Having multiple sexual partners
 - People who use or are eligible for HIV pre-exposure prophylaxis (PrEP)
 - Were diagnosed with a Sexually Transmitted Infection (STI) within the past 12 months
- Anyone living with Human Immunodeficiency Virus (HIV)
- Identified as a close contact of someone who has mpox (suspected or confirmed case).
- Laboratory staff, healthcare workers, and public health response team members who routinely
 handle mpox virus samples for diagnosis or testing purposes or has a high-risk occupational
 exposure.
- Attendees of events/venues where known mpox exposure has occurred within the past 14 days.
- To ensure vaccine equity, priority should also be given to persons who are:
 - Incarcerated
 - Currently experiencing homelessness
 - Living in residential substance use treatment centers or participating in substance use treatment programs

People who received the first dose of the mpox vaccine more than 28 days ago are eligible to receive the second dose.



Where to get the vaccine:

- The JYNNEOS vaccine is administered at the Fresno County Department of Public Health or at any of the following <u>Fresno County vaccine clinics</u>.
- If you experience any symptoms of mpox, call your medical provider or urgent care.
 - Symptoms may include: rash, swollen lymph nodes, fever, muscle aches, and headaches.
 - **Please note:** Several other diseases and Sexually Transmitted Infections can look like a mpox rash, ANY rash should be checked by your primary care provider.



