

TEST HOLE DATA REPORT

TEST HOLE NO: PH-01
 TEST HOLE DATE: 4/13/2023
 PROJECT NO: CA17300104
 CLIENT: COUNTY OF FRESNO
 PROJECT: ADAMS AVE. SHOULDER IMPROVEMENTS



5622 Research Drive Suite A
 Huntington Beach, California 92649
 TEL: 714.487.5780
 www.T2ue.com

CLIENT TEST HOLE NO: PH-01
 SUE CREW/TRUCK NO: SA/LC/550603
 CITY, COUNTY: FRESNO / FRESNO
 LOCATION/INTERSECTION: E. ADAMS AVE. 220FT E/O CHERRY AVE


MAP



SITE PHOTO - FACING NORTH



CROSS SECTION - NOT TO SCALE



TEST HOLE - UTILITY - FACING EAST



DISCLAIMER: ADDITIONAL MATERIAL AND/OR UTILITIES MAY EXIST BELOW APPARENT BOTTOM

UTILITY DESCRIPTION		REFERENCE MARKER	
UTILITY TYPE	GAS MAIN/PIPELINE	LOCATION	CENTER OF UTILITY
UTILITY MATERIAL	METALLIC (IRON, STEEL, COATED)	MARKED BY	NAIL & DISK
UTILITY DIRECTION	EAST - WEST	STATION	
UTILITY WIDTH (FIELD)	24.00"	OFFSET	-
UTILITY WIDTH (RECORD)	-	OFFSET FROM	
APPARENT UTILITY OWNER	PG&E	SWING TIES FROM STRUCTURE	APPROX DISTANCE
DEPTH FROM REFERENCE MARKER		A	E. OF TEL POLE 124.00'
TOP OF UTILITY	4.26'	B	N. OF DBL YELL 12.00'
BOTTOM OF UTILITY	6.26'	C	-
ELEVATION OF UTILITY			
TOP OF UTILITY	-		
APPARENT BOTTOM OF UTILITY	-		
SURFACE			
TYPE	NATURAL GROUND		
THICKNESS	-		

REMARKS

MET WITH PG&E STANDBY AND OPENED UP TH ON DESIGNATING/USA MARKS. FOUND THE TARGET UTILITY. THERE IS A CAUTION TAPE APPROXIMATELY 1 FT. ABOVE UTILITY.

REVISION NOTES:

REVIEWED DATE: 4/25/2023 CHECKED DATE: 4/25/2023 REVISION DATE: _____
 REVIEWED BY: RH CHECKED BY: RH

TEST HOLE DATA REPORT

TEST HOLE NO: PH-02
 TEST HOLE DATE: 4/13/2023
 PROJECT NO: CA17300104
 CLIENT: COUNTY OF FRESNO
 PROJECT: ADAMS AVE. SHOULDER IMPROVEMENTS



5622 Research Drive Suite A
 Huntington Beach, California 92649
 TEL: 714.487.5780
 www.T2ue.com

CLIENT TEST HOLE NO: PH-02
 SUE CREW/TRUCK NO: SA/LC/550603
 CITY, COUNTY: FRESNO / FRESNO
 LOCATION/INTERSECTION: ADAMS AVE. 220FT E/O CHERRY AVE


MAP



SITE PHOTO - FACING NORTH



CROSS SECTION - NOT TO SCALE



TEST HOLE - UTILITY - FACING NORTH



DISCLAIMER: ADDITIONAL MATERIAL AND/OR UTILITIES MAY EXIST BELOW APPARENT BOTTOM

UTILITY DESCRIPTION		REFERENCE MARKER	
UTILITY TYPE	GAS MAIN/PIPELINE	LOCATION	CENTER OF UTILITY
UTILITY MATERIAL	METALLIC (IRON, STEEL, COATED)	MARKED BY	NAIL & CAP
UTILITY DIRECTION	EAST - WEST	STATION	
UTILITY WIDTH (FIELD)	16.00"	OFFSET	-
UTILITY WIDTH (RECORD)	-	OFFSET FROM	
APPARENT UTILITY OWNER	PG&E	SWING TIES FROM STRUCTURE	APPROX DISTANCE
DEPTH FROM REFERENCE MARKER		A	S. OF DBL YELL 13.90'
TOP OF UTILITY	5.00'	B	W. OF POWER POLE 18.00'
BOTTOM OF UTILITY	-	C	-
ELEVATION OF UTILITY			
TOP OF UTILITY	-		
APPARENT BOTTOM OF UTILITY	-		
SURFACE			
TYPE	NATURAL GROUND		
THICKNESS	-		

REMARKS

OPENED UP TH ON DESIGNATING/USA MARKS, FOUND THE TARGET UTILITY.

REVISION NOTES:

REVIEWED DATE: 4/25/2023 CHECKED DATE: 4/25/2023 REVISION DATE: _____
 REVIEWED BY: RH CHECKED BY: RH

TEST HOLE DATA REPORT



TEST HOLE NO: PH-03
 TEST HOLE DATE: 4/13/2023
 PROJECT NO: CA17300104
 CLIENT: COUNTY OF FRESNO
 PROJECT: ADAMS AVE. SHOULDER IMPROVEMENTS

5622 Research Drive Suite A
 Huntington Beach, California 92649
 TEL: 714.487.5780
 www.T2ue.com

CLIENT TEST HOLE NO: PH-03
 SUE CREW/TRUCK NO: SA/LC/550603
 CITY, COUNTY: FRESNO / FRESNO
 LOCATION/INTERSECTION:
 ADAMS AVE. 220FT E/O CHERRY AVE


MAP



SITE PHOTO - FACING EAST



CROSS SECTION - NOT TO SCALE



TEST HOLE - UTILITY - FACING NORTH



DISCLAIMER: ADDITIONAL MATERIAL AND/OR UTILITIES MAY EXIST BELOW APPARENT BOTTOM

UTILITY DESCRIPTION		REFERENCE MARKER	
UTILITY TYPE	GAS MAIN/PIPELINE	LOCATION	CENTER OF UTILITY
UTILITY MATERIAL	PLASTIC (PVC, PE, HDPE)	MARKED BY	NAIL & CAP
UTILITY DIRECTION	EAST - WEST	STATION	
UTILITY WIDTH (FIELD)	2.00"	OFFSET	-
UTILITY WIDTH (RECORD)	-	OFFSET FROM	-
APPARENT UTILITY OWNER	PG&E	SWING TIES FROM STRUCTURE	APPROX DISTANCE
DEPTH FROM REFERENCE MARKER		A	S. OF DBL YELL 19.50'
TOP OF UTILITY	3.20'	B	W. OF POWER POLE 18.00'
BOTTOM OF UTILITY	-	C	-
ELEVATION OF UTILITY			
TOP OF UTILITY	-		
APPARENT BOTTOM OF UTILITY	-		
SURFACE			
TYPE	NATURAL GROUND		
THICKNESS	-		

REMARKS

OPENED UP TH ON DESIGNATING/USA MARKS, FOUND THE TARGET UTILITY.

REVISION NOTES:

REVIEWED DATE: 4/25/2023 CHECKED DATE: 4/25/2023 REVISION DATE:

REVIEWED BY: RH CHECKED BY: RH

TEST HOLE DATA REPORT


TEST HOLE NO: PH-04
 TEST HOLE DATE: 4/13/2023
 PROJECT NO: CA17300104
 CLIENT: COUNTY OF FRESNO
 PROJECT: ADAMS AVE. SHOULDER IMPROVEMENTS



5622 Research Drive Suite A
 Huntington Beach, California 92649
 TEL: 714.487.5780
 www.T2ue.com

CLIENT TEST HOLE NO: PH-04
 SUE CREW/TRUCK NO: SA/LC/550603
 CITY, COUNTY: FRESNO / FRESNO
 LOCATION/INTERSECTION: ADAMS AVE. 400FT W/O CEDAR AVE


MAP



SITE PHOTO - FACING NORTH



CROSS SECTION - NOT TO SCALE



TEST HOLE - UTILITY - FACING EAST



DISCLAIMER: ADDITIONAL MATERIAL AND/OR UTILITIES MAY EXIST BELOW APPARENT BOTTOM

UTILITY DESCRIPTION		REFERENCE MARKER	
UTILITY TYPE	GAS MAIN/PIPELINE	LOCATION	CENTER OF UTILITY
UTILITY MATERIAL	METALLIC (IRON, STEEL, COATED)	MARKED BY	NAIL & CAP
UTILITY DIRECTION	EAST - WEST	STATION	
UTILITY WIDTH (FIELD)	6.00"	OFFSET	-
UTILITY WIDTH (RECORD)	-	OFFSET FROM	
APPARENT UTILITY OWNER	PG&E	SWING TIES FROM STRUCTURE	APPROX DISTANCE
DEPTH FROM REFERENCE MARKER		A	W. OF POWER POLE 152.80'
TOP OF UTILITY	4.30'	B	N. OF DBL YELL 16.00'
BOTTOM OF UTILITY	-	C	-
ELEVATION OF UTILITY			
TOP OF UTILITY	-		
APPARENT BOTTOM OF UTILITY	-		
SURFACE			
TYPE	NATURAL GROUND		
THICKNESS	-		

REMARKS

OPENED UP TH ON DESIGNATING/USA MARKS, FOUND THE TARGET UTILITY.

REVISION NOTES:

REVIEWED DATE: 4/25/2023 CHECKED DATE: 4/25/2023 REVISION DATE: _____
 REVIEWED BY: RH CHECKED BY: RH

TEST HOLE DATA REPORT

TEST HOLE NO: PH-05
 TEST HOLE DATE: 4/13/2023
 PROJECT NO: CA17300104
 CLIENT: COUNTY OF FRESNO
 PROJECT: ADAMS AVE. SHOULDER IMPROVEMENTS



5622 Research Drive Suite A
 Huntington Beach, California 92649
 TEL: 714.487.5780
 www.T2ue.com

CLIENT TEST HOLE NO: PH-05
 SUE CREW/TRUCK NO: SA/LC/550603
 CITY, COUNTY: FRESNO / FRESNO
 LOCATION/INTERSECTION: ADAMS AVE. 400FT W/O CEDAR AVE


MAP



SITE PHOTO - FACING WEST



CROSS SECTION - NOT TO SCALE



TEST HOLE - UTILITY - FACING NORTH



DISCLAIMER: ADDITIONAL MATERIAL AND/OR UTILITIES MAY EXIST BELOW APPARENT BOTTOM

UTILITY DESCRIPTION		REFERENCE MARKER	
UTILITY TYPE	GAS MAIN/PIPELINE	LOCATION	CENTER OF UTILITY
UTILITY MATERIAL	METALLIC (IRON, STEEL, COATED)	MARKED BY	NAIL & CAP
UTILITY DIRECTION	EAST - WEST	STATION	
UTILITY WIDTH (FIELD)	6.00"	OFFSET	-
UTILITY WIDTH (RECORD)	-	OFFSET FROM	
APPARENT UTILITY OWNER	PG&E	SWING TIES FROM STRUCTURE	APPROX DISTANCE
DEPTH FROM REFERENCE MARKER		A	W. OF TEL POLE 35.10'
TOP OF UTILITY	3.50'	B	S. OF DBL YELL 18.50'
BOTTOM OF UTILITY	-	C	-
ELEVATION OF UTILITY			
TOP OF UTILITY	-		
APPARENT BOTTOM OF UTILITY	-		
SURFACE			
TYPE	NATURAL GROUND		
THICKNESS	-		

REMARKS

OPENED UP TH ON DESIGNATING/USA MARKS, FOUND THE TARGET UTILITY.

REVISION NOTES:

REVIEWED DATE: 4/25/2023 CHECKED DATE: 4/25/2023 REVISION DATE:
 REVIEWED BY: RH CHECKED BY: RH

TEST HOLE DATA REPORT

TEST HOLE NO: PH-06
 TEST HOLE DATE: 4/13/2023
 PROJECT NO: CA17300104
 CLIENT: COUNTY OF FRESNO
 PROJECT: ADAMS AVE. SHOULDER IMPROVEMENTS



5622 Research Drive Suite A
 Huntington Beach, California 92649
 TEL: 714.487.5780
 www.T2ue.com

CLIENT TEST HOLE NO: PH-06
 SUE CREW/TRUCK NO: SA/LC/550603
 CITY, COUNTY: FRESNO / FRESNO
 LOCATION/INTERSECTION: ADAMS AVE. 400FT W/O CEDAR AVE


MAP




SITE PHOTO - FACING NORTH



CROSS SECTION - NOT TO SCALE



TEST HOLE - UTILITY - FACING WEST



DISCLAIMER: ADDITIONAL MATERIAL AND/OR UTILITIES MAY EXIST BELOW APPARENT BOTTOM

UTILITY DESCRIPTION		REFERENCE MARKER	
UTILITY TYPE	GAS MAIN/PIPELINE	LOCATION	CENTER OF UTILITY
UTILITY MATERIAL	PLASTIC (PVC, PE, HDPE)	MARKED BY	NAIL & CAP
UTILITY DIRECTION	EAST - WEST	STATION	
UTILITY WIDTH (FIELD)	2.00"	OFFSET	-
UTILITY WIDTH (RECORD)	-	OFFSET FROM	
APPARENT UTILITY OWNER	PG&E	SWING TIES FROM STRUCTURE	APPROX DISTANCE
DEPTH FROM REFERENCE MARKER		A	W. OF TEL POLE 35.10'
TOP OF UTILITY	2.60'	B	S. OF DBL YELL 16.70'
BOTTOM OF UTILITY	-	C	-
ELEVATION OF UTILITY			
TOP OF UTILITY	-		
APPARENT BOTTOM OF UTILITY	-		
SURFACE			
TYPE	NATURAL GROUND		
THICKNESS	-		

REMARKS

OPENED UP TH ON DESIGNATING/USA MARKS, FOUND THE TARGET UTILITY.

REVISION NOTES:

REVIEWED DATE: 4/25/2023 CHECKED DATE: 4/25/2023 REVISION DATE: _____
 REVIEWED BY: RH CHECKED BY: RH